

Linear Fixture Lighting Solutions

Each fixture features 3 different profiles that can be used in various ways throughout the kitchen. Use the **Angled Profile (P3)** under or inside cabinets, or in the toe kick, to angle light where it's needed. Use the **Flat Profile (P7)** under cabinets to illuminate the workspace directly below. Use the **Recessed Profile (PX)** under cabinets or shelves for a flush, sleek finish.

The Accent, Standard, High, and Higher Output fixtures are available with **Soft White (3000K)** and **Cool White (4000K)** color temperatures.

120 Im./ft. Accent Output Fixture Example Angled Profile, 12V, 4000K Color Temp

Profile Option Kelvin Temp

↓ ↓

L R 1 P 3 1 2 V 0 9 - 0 2 W 4

225 Im./ft. Standard Output Fixture Example Flat Profile, 24V, 3000K Color Temp

Profile Option Kelvin Temp

↓ ↓

L V 2 P 7 2 4 V 2 1 - 0 5 W 3

600 Im./ft. Higher Output Fixture Example Recessed Profile, 24V, 4000K Color Temp

Profile Option Kelvin Temp

↓ ↓

L S 6 P X 2 4 V 4 2 - 1 8 W 4



A Linear Fixture Length for Every Cabinet Width

	120 Im./ft. Accent Output Fixtures (12V)	120 Im./ft. Accent Output Fixtures (24V)	225 Im./ft. Standard Output Fixtures (12V)	225 Im./ft. Standard Output Fixtures (24V)	400 Im./ft. High Output Fixtures (24V)	600 Im./ft. Higher Output Fixtures (24V)
9" Cabinets Accent Output Fixture Length: 6-5/8" (12V), 4-11/16" (24V) Standard Output Fixture Length: 6-5/8" (12V), 6-5/8" (24V) High & Higher Output Fixture Length: 6-5/8"	LR1 P3 12V09-02W 3	LR1 P3 24V09-02W 3	LV2 P3 12V09-03W 3	LV2 P3 24V09-03W 3	LS4 P3 24V09-03W 3	LS6 P3 24V09-04W 3
	LR1 P3 12V09-02W 4	LR1 P3 24V09-02W 4	LV2 P3 12V09-03W 4	LV2 P3 24V09-03W 4	LS4 P3 24V09-03W 4	LS6 P3 24V09-03W 4
	LR1 P7 12V09-02W 3	LR1 P7 24V09-02W 3	LV2 P7 12V09-03W 3	LV2 P7 24V09-03W 3	LS4 P7 24V09-03W 3	LS6 P7 24V09-03W 3
	LR1 P7 12V09-02W 4	LR1 P7 24V09-02W 4	LV2 P7 12V09-03W 4	LV2 P7 24V09-03W 4	LS4 P7 24V09-03W 4	LS6 P7 24V09-03W 4
	LR1 PX 12V09-02W 3	LR1 PX 24V09-02W 3	LV2 PX 12V09-03W 3	LV2 PX 24V09-03W 3	LS4 PX 24V09-03W 3	LS6 PX 24V09-03W 3
	LR1 PX 12V09-02W 4	LR1 PX 24V09-02W 4	LV2 PX 12V09-03W 4	LV2 PX 24V09-03W 4	LS4 PX 24V09-03W 4	LS6 PX 24V09-03W 4

	120 Im./ft. Accent Output Fixtures (12V)	120 Im./ft. Accent Output Fixtures (24V)	225 Im./ft. Standard Output Fixtures (12V)	225 Im./ft. Standard Output Fixtures (24V)	400 Im./ft. High Output Fixtures (24V)	600 Im./ft. Higher Output Fixtures (24V)
12" Cabinets Accent Output Fixture Length: 8-5/8" (12V), 8-5/8" (24V) Standard Output Fixture Length: 8-5/8" (12V), 8-5/8" (24V) High & Higher Output Fixture Length: 8-5/8"	LR1 P3 12V12-02W 3	LR1 P3 24V12-02W 3	LV2 P3 12V12-03W 3	LV2 P3 24V12-03W 3	LS4 P3 24V12-03W 3	LS6 P3 24V12-04W 3
	LR1 P3 12V12-02W 4	LR1 P3 24V12-02W 4	LV2 P3 12V12-03W 4	LV2 P3 24V12-03W 4	LS4 P3 24V12-03W 4	LS6 P3 24V12-04W 4
	LR1 P7 12V12-02W 3	LR1 P7 24V12-02W 3	LV2 P7 12V12-03W 3	LV2 P7 24V12-03W 3	LS4 P7 24V12-03W 3	LS6 P7 24V12-04W 3
	LR1 P7 12V12-02W 4	LR1 P7 24V12-02W 4	LV2 P7 12V12-03W 4	LV2 P7 24V12-03W 4	LS4 P7 24V12-03W 4	LS6 P7 24V12-04W 4
	LR1 PX 12V12-02W 3	LR1 PX 24V12-02W 3	LV2 PX 12V12-03W 3	LV2 PX 24V12-03W 3	LS4 PX 24V12-03W 3	LS6 PX 24V12-04W 3
	LR1 PX 12V12-02W 4	LR1 PX 24V12-02W 4	LV2 PX 12V12-03W 4	LV2 PX 24V12-03W 4	LS4 PX 24V12-03W 4	LS6 PX 24V12-04W 4

Cross Reference Guide: Lighting

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
15” Cabinets Accent Output Fixture Length: 12-9/16” (12V), 12-9/16” (24V) Standard Output Fixture Length: 12-9/16” (12V), 12-9/16” (24V) High & Higher Output Fixture Length: 12-9/16”	LR1P312V15-02W3	LR1P324V15-02W3	LV2P312V15-04W3	LV2P324V15-04W3	LS4P324V15-04W3	LS6P324V15-06W3
	LR1P312V15-02W4	LR1P324V15-02W4	LV2P312V15-04W4	LV2P324V15-04W4	LS4P324V15-04W4	LS6P324V15-06W4
	LR1P712V15-02W3	LR1P724V15-02W3	LV2P712V15-04W3	LV2P724V15-04W3	LS4P724V15-04W3	LS6P724V15-06W3
	LR1P712V15-02W4	LR1P724V15-02W4	LV2P712V15-04W4	LV2P724V15-04W4	LS4P724V15-04W4	LS6P724V15-06W4
	LR1PX12V15-02W3	LR1PX24V15-02W3	LV2PX12V15-04W3	LV2PX24V15-04W3	LS4PX24V15-04W3	LS6PX24V15-06W3
	LR1PX12V15-02W4	LR1PX24V15-02W4	LV2PX12V15-04W4	LV2PX24V15-04W4	LS4PX24V15-04W4	LS6PX24V15-06W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
18” Cabinets Accent Output Fixture Length: 14-1/2” (12V), 12-9/16” (24V) Standard Output Fixture Length: 14-1/2” (12V), 14-1/2” (24V) High & Higher Output Fixture Length: 14-1/2”	LR1P312V18-03W3	LR1P324V18-03W3	LV2P312V18-05W3	LV2P324V18-05W3	LS4P324V18-05W3	LS6P324V18-07W3
	LR1P312V18-03W4	LR1P324V18-03W4	LV2P312V18-05W4	LV2P324V18-05W4	LS4P324V18-05W4	LS6P324V18-07W4
	LR1P712V18-03W3	LR1P724V18-03W3	LV2P712V18-05W3	LV2P724V18-05W3	LS4P724V18-05W3	LS6P724V18-07W3
	LR1P712V18-03W4	LR1P724V18-03W4	LV2P712V18-05W4	LV2P724V18-05W4	LS4P724V18-05W4	LS6P724V18-07W4
	LR1PX12V18-03W3	LR1PX24V18-03W3	LV2PX12V18-05W3	LV2PX24V18-05W3	LS4PX24V18-05W3	LS6PX24V18-07W3
	LR1PX12V18-03W4	LR1PX24V18-03W4	LV2PX12V18-05W4	LV2PX24V18-05W4	LS4PX24V18-05W4	LS6PX24V18-07W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
21” Cabinets Accent Output Fixture Length: 18-7/16” (12V), 16-1/2” (24V) Standard Output Fixture Length: 18-7/16” (12V), 18-7/16” (24V) High & Higher Output Fixture Length: 18-7/16”	LR1P312V21-03W3	LR1P324V21-03W3	LV2P312V21-05W3	LV2P324V21-05W3	LS4P324V21-06W3	LS6P324V21-09W3
	LR1P312V21-03W4	LR1P324V21-03W4	LV2P312V21-05W4	LV2P324V21-05W4	LS4P324V21-06W4	LS6P324V21-09W4
	LR1P712V21-03W3	LR1P724V21-03W3	LV2P712V21-05W3	LV2P724V21-05W3	LS4P724V21-06W3	LS6P724V21-09W3
	LR1P712V21-03W4	LR1P724V21-03W4	LV2P712V21-05W4	LV2P724V21-05W4	LS4P724V21-06W4	LS6P724V21-09W4
	LR1PX12V21-03W3	LR1PX24V21-03W3	LV2PX12V21-05W3	LV2PX24V21-05W3	LS4PX24V21-06W3	LS6PX24V21-09W3
	LR1PX12V21-03W4	LR1PX24V21-03W4	LV2PX12V21-05W4	LV2PX24V21-05W4	LS4PX24V21-06W4	LS6PX24V21-09W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
24” Cabinets Accent Output Fixture Length: 20-7/16” (12V), 20-7/16” (24V) Standard Output Fixture Length: 20-7/16” (12V), 20-7/16” (24V) High & Higher Output Fixture Length: 20-7/16”	LR1P312V24-02W3	LR1P324V24-02W3	LV2P312V24-03W3	LV2P324V24-03W3	LS4P324V24-03W3	LS6P324V24-04W3
	LR1P312V24-02W4	LR1P324V24-02W4	LV2P312V24-03W4	LV2P324V24-03W4	LS4P324V24-03W4	LS6P324V24-04W4
	LR1P712V24-02W3	LR1P724V24-02W3	LV2P712V24-03W3	LV2P724V24-03W3	LS4P724V24-03W3	LS6P724V24-04W3
	LR1P712V24-02W4	LR1P724V24-02W4	LV2P712V24-03W4	LV2P724V24-03W4	LS4P724V24-03W4	LS6P724V24-04W4
	LR1PX12V24-02W3	LR1PX24V24-02W3	LV2PX12V24-03W3	LV2PX24V24-03W3	LS4PX24V24-03W3	LS6PX24V24-04W3
	LR1PX12V24-02W4	LR1PX24V24-02W4	LV2PX12V24-03W4	LV2PX24V24-03W4	LS4PX24V24-03W4	LS6PX24V24-04W4

Cross Reference Guide: Lighting

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
27" Cabinets Accent Output Fixture Length: 24-3/8" (12V), 24-3/8" (24V) Standard Output Fixture Length: 24-3/8" (12V), 24-3/8" (24V) High & Higher Output Fixture Length: 24-3/8"	LR1P312V27-04W3	LR1P324V27-04W3	LV2P312V27-07W3	LV2P324V27-07W3	LS4P324V27-08W3	LS6P324V27-12W3
	LR1P312V27-04W4	LR1P324V27-04W4	LV2P312V27-07W4	LV2P324V27-07W4	LS4P324V27-08W4	LS6P324V27-12W4
	LR1P712V27-04W3	LR1P724V27-04W3	LV2P712V27-07W3	LV2P724V27-07W3	LS4P724V27-08W3	LS6P724V27-12W3
	LR1P712V27-04W4	LR1P724V27-04W4	LV2P712V27-07W4	LV2P724V27-07W4	LS4P724V27-08W4	LS6P724V27-12W4
	LR1PX12V27-04W3	LR1PX24V27-04W3	LV2PX12V27-07W3	LV2PX24V27-07W3	LS4PX24V27-08W3	LS6PX24V27-12W3
	LR1PX12V27-04W4	LR1PX24V27-04W4	LV2PX12V27-07W4	LV2PX24V27-07W4	LS4PX24V27-08W4	LS6PX24V27-12W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
30" Cabinets Accent Output Fixture Length: 26-5/16" (12V), 24-3/8" (24V) Standard Output Fixture Length: 26-15/16" (12V), 26-15/16" (24V) High & Higher Output Fixture Length: 26-5/16"	LR1P312V30-04W3	LR1P324V30-04W3	LV2P312V30-07W3	LV2P324V30-07W3	LS4P324V30-08W3	LS6P324V30-12W3
	LR1P312V30-04W4	LR1P324V30-04W4	LV2P312V30-07W4	LV2P324V30-07W4	LS4P324V30-08W4	LS6P324V30-12W4
	LR1P712V30-04W3	LR1P724V30-04W3	LV2P712V30-07W3	LV2P724V30-07W3	LS4P724V30-08W3	LS6P724V30-12W3
	LR1P712V30-04W4	LR1P724V30-04W4	LV2P712V30-07W4	LV2P724V30-07W4	LS4P724V30-08W4	LS6P724V30-12W4
	LR1PX12V30-04W3	LR1PX24V30-04W3	LV2PX12V30-07W3	LV2PX24V30-07W3	LS4PX24V30-08W3	LS6PX24V30-12W3
	LR1PX12V30-04W4	LR1PX24V30-04W4	LV2PX12V30-07W4	LV2PX24V30-07W4	LS4PX24V30-08W4	LS6PX24V30-12W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
33" Cabinets Accent Output Fixture Length: 30-1/4" (12V), 28-5/16" (24V) Standard Output Fixture Length: 30-1/4" (12V), 30-1/4" (24V) High & Higher Output Fixture Length: 30-1/4"	LR1P312V33-05W3	LR1P324V33-05W3	LV2P312V33-08W3	LV2P324V33-08W3	LS4P324V33-10W3	LS6P324V33-14W3
	LR1P312V33-05W4	LR1P324V33-05W4	LV2P312V33-08W4	LV2P324V33-08W4	LS4P324V33-10W4	LS6P324V33-14W4
	LR1P712V33-05W3	LR1P724V33-05W3	LV2P712V33-08W3	LV2P724V33-08W3	LS4P724V33-10W3	LS6P724V33-14W3
	LR1P712V33-05W4	LR1P724V33-05W4	LV2P712V33-08W4	LV2P724V33-08W4	LS4P724V33-10W4	LS6P724V33-14W4
	LR1PX12V33-05W3	LR1PX24V33-05W3	LV2PX12V33-08W3	LV2PX24V33-08W3	LS4PX24V33-10W3	LS6PX24V33-14W3
	LR1PX12V33-05W4	LR1PX24V33-05W4	LV2PX12V33-08W4	LV2PX24V33-08W4	LS4PX24V33-10W4	LS6PX24V33-14W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
36" Cabinets Accent Output Fixture Length: 32-1/4" (12V), 32-1/4" (24V) Standard Output Fixture Length: 32-1/4" (12V), 32-1/4" (24V) High & Higher Output Fixture Length: 32-1/4"	LR1P312V36-05W3	LR1P324V36-05W3	LV2P312V36-09W3	LV2P324V36-09W3	LS4P324V36-10W3	LS6P324V36-15W3
	LR1P312V36-05W4	LR1P324V36-05W4	LV2P312V36-09W4	LV2P324V36-09W4	LS4P324V36-10W4	LS6P324V36-15W4
	LR1P712V36-05W3	LR1P724V36-05W3	LV2P712V36-09W3	LV2P724V36-09W3	LS4P724V36-10W3	LS6P724V36-15W3
	LR1P712V36-05W4	LR1P724V36-05W4	LV2P712V36-09W4	LV2P724V36-09W4	LS4P724V36-10W4	LS6P724V36-15W4
	LR1PX12V36-05W3	LR1PX24V36-05W3	LV2PX12V36-09W3	LV2PX24V36-09W3	LS4PX24V36-10W3	LS6PX24V36-15W3
	LR1PX12V36-05W4	LR1PX24V36-05W4	LV2PX12V36-09W4	LV2PX24V36-09W4	LS4PX24V36-10W4	LS6PX24V36-15W4

Cross Reference Guide: Lighting

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
39" Cabinets Accent Output Fixture Length: 36-3/16" (12V), 36-3/16" (24V) Standard Output Fixture Length: 36-3/16" (12V), 36-3/16" (24V) High & Higher Output Fixture Length: 36-3/16"	LR1P312V39-05W3	LR1P324V39-05W3	LV2P312V39-10W3	LV2P324V39-10W3	LS4P324V39-11W3	LS6P324V39-17W3
	LR1P312V39-05W4	LR1P324V39-05W4	LV2P312V39-10W4	LV2P324V39-10W4	LS4P324V39-11W4	LS6P324V39-17W4
	LR1P712V39-05W3	LR1P724V39-05W3	LV2P712V39-10W3	LV2P724V39-10W3	LS4P724V39-11W3	LS6P724V39-17W3
	LR1P712V39-05W4	LR1P724V39-05W4	LV2P712V39-10W4	LV2P724V39-10W4	LS4P724V39-11W4	LS6P724V39-17W4
	LR1PX12V39-05W3	LR1PX24V39-05W3	LV2PX12V39-10W3	LV2PX24V39-10W3	LS4PX24V39-11W3	LS6PX24V39-17W3
	LR1PX12V39-05W4	LR1PX24V39-05W4	LV2PX12V39-10W4	LV2PX24V39-10W4	LS4PX24V39-11W4	LS6PX24V39-17W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
42" Cabinets Accent Output Fixture Length: 38-1/8" (12V), 36-3/16" (24V) Standard Output Fixture Length: 38-1/8" (12V), 38-1/8" (24V) High & Higher Output Fixture Length: 38-1/8"	LR1P312V42-06W3	LR1P324V42-06W3	LV2P312V42-10W3	LV2P324V42-10W3	LS4P324V42-12W3	LS6P324V42-18W3
	LR1P312V42-06W4	LR1P324V42-06W4	LV2P312V42-10W4	LV2P324V42-10W4	LS4P324V42-12W4	LS6P324V42-18W4
	LR1P712V42-06W3	LR1P724V42-06W3	LV2P712V42-10W3	LV2P724V42-10W3	LS4P724V42-12W3	LS6P724V42-18W3
	LR1P712V42-06W4	LR1P724V42-06W4	LV2P712V42-10W4	LV2P724V42-10W4	LS4P724V42-12W4	LS6P724V42-18W4
	LR1PX12V42-06W3	LR1PX24V42-06W3	LV2PX12V42-10W3	LV2PX24V42-10W3	LS4PX24V42-12W3	LS6PX24V42-18W3
	LR1PX12V42-06W4	LR1PX24V42-06W4	LV2PX12V42-10W4	LV2PX24V42-10W4	LS4PX24V42-12W4	LS6PX24V42-18W4

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
45" Cabinets Accent Output Fixture Length: 42-1/16" (12V), 40-1/8" (24V) Standard Output Fixture Length: 42-1/16" (12V), 42-1/16" (24V) High & Higher Output Fixture Length: 42-1/16"	LR1P312V45-06W3	LR1P324V45-06W3	LV2P312V45-11W3	LV2P324V45-11W3	LS4P324V45-13W3	LS6P324V45-20W3
	LR1P312V45-06W4	LR1P324V45-06W4	LV2P312V45-11W4	LV2P324V45-11W4	LS4P324V45-13W4	LS6P324V45-20W4
	LR1P712V45-06W3	LR1P724V45-06W3	LV2P712V45-11W3	LV2P724V45-11W3	LS4P724V45-13W3	LS6P724V45-20W3
	LR1P712V45-06W4	LR1P724V45-06W4	LV2P712V45-11W4	LV2P724V45-11W4	LS4P724V45-13W4	LS6P724V45-20W4
	LR1PX12V45-06W3	LR1PX24V45-06W3	LV2PX12V45-11W3	LV2PX24V45-11W3	LS4PX24V45-13W3	LS6PX24V45-20W3
	LR1PX12V45-06W4	LR1PX24V45-06W4	LV2PX12V45-11W4	LV2PX24V45-11W4	LS4PX24V45-13W4	LS6PX24V45-20W4

*Slight modification may be necessary

	120 lm./ft. Accent Output Fixtures (12V)	120 lm./ft. Accent Output Fixtures (24V)	225 lm./ft. Standard Output Fixtures (12V)	225 lm./ft. Standard Output Fixtures (24V)	400 lm./ft. High Output Fixtures (24V)	600 lm./ft. Higher Output Fixtures (24V)
48" Cabinets Accent Output Fixture Length: 44-1/16" (12V), 44-1/16" (24V) Standard Output Fixture Length: 44-1/16" (12V), 44-1/16" (24V) High & Higher Output Fixture Length: 44-1/16"	LR1P312V48-06W3	LR1P324V48-06W3	LV2P312V48-12W3	LV2P324V48-12W3	LS4P324V48-14W3	LS6P324V48-21W3
	LR1P312V48-06W4	LR1P324V48-06W4	LV2P312V48-12W4	LV2P324V48-12W4	LS4P324V48-14W4	LS6P324V48-21W4
	LR1P712V48-06W3	LR1P724V48-06W3	LV2P712V48-12W3	LV2P724V48-12W3	LS4P724V48-14W3	LS6P724V48-21W3
	LR1P712V48-06W4	LR1P724V48-06W4	LV2P712V48-12W4	LV2P724V48-12W4	LS4P724V48-14W4	LS6P724V48-21W4
	LR1PX12V48-06W3	LR1PX24V48-06W3	LV2PX12V48-12W3	LV2PX24V48-12W3	LS4PX24V48-14W3	LS6PX24V48-21W3
	LR1PX12V48-06W4	LR1PX24V48-06W4	LV2PX12V48-12W4	LV2PX24V48-12W4	LS4PX24V48-14W4	LS6PX24V48-21W4

*Slight modification may be necessary